## 2019 Penn State/PDMP Corn Silage Hybrid Performance Trial Results

Prepared by James A. Breining, Alan R. Cook, and Corey Dillon (Department of Plant Science).

Produced in cooperation with the Professional Dairy Managers of Pennsylvania (PDMP).

Visit Penn State's College of Agricultural Sciences on the Web: www.cas.psu.edu

Penn State College of Agricultural Sciences research, extension, and resident education programs are funded in part by Pennsylvania counties, the Commonwealth of Pennsylvania, and the U.S. Department of Agriculture.

This publication is available in alternative media on request. The Pennsylvania State University is committed to the policy that all persons shall have equal access to programs, facilities, admission, and employment without regard to personal characteristics not related to ability, performance, or qualifications as determined by University policy or by state or federal authorities. It is the policy of the University to maintain an academic and work environment free of discrimination, including harassment. The Pennsylvania State University prohibits discrimination and harassment against any person because of age, ancestry, color, disability or handicap, national origin, race, religious creed, sex, sexual orientation, or veteran status. Discrimination or harassment against faculty, staff, or students will not be tolerated at The Pennsylvania State University. Direct all inquiries regarding the nondiscrimination policy to the Affi rmative Action Director, The Pennsylvania State University, 328 Boucke Building, University Park, PA 16802-5901, Tel 814-865-4700/V, 814-863-1150/TTY.

Where trade names appear, no discrimination is intended, and no endorsement by Penn State Cooperative Extension is implied

c The Pennsylvania State University 2015

## Penn State/PDMP Corn Silage Hybrid Testing Program 2019 Early maturity (85-103 day RM) silage hybrids

## **Combined Hybrid performance across Bradford and Centre County**

Notes: The preplant nitrogen application had diminished by grain fill time at Rock Springs and yields were a little lower than desired. There was moderate bear damage at Lance Shedden's trial. Fertility and rainfall were adequate this year at both locations. The Cambria location was excluded from the combined data due to variability between reps.



Cooperators: Lance Shedden and PSU Agronomy Farm

			Dry	Yield									N	DFD		uNDF		ļ
			Matter	Tons/	CP	NDF	Lignin	Starch	Ash	Fat <sup>2</sup>	NEL	12hr	30hr	120hr	240hr	240	Pop.	Relative
Brand	Hybrid	Traits*	%**	Acre***	%DM	%DM	%DM	%DM	%DM	%DM	Mcal/lb		%N	IDF <sub>DM</sub>		%DM	plants/ac	Maturity
Very Early (85-94 day) RM Silage Hybrids																		
Masters Choice	MCT3891	1	42.6	15.3	7.3	35.2	2.5	40.5	2.8	2.6	0.79	30.7	57.6	64.9	67.7	11.4	29,925	88
Growmark FS	FS 4095X RIB	34	41.2	18.1	6.3	31.8	2.4	45.1	2.6	2.6	0.80	30.2	58.2	66.6	69.4	9.8	33,083	90
Pioneer	P9377AMXT	27	41.0	18.6	7.0	34.1	2.5	42.3	2.9	2.5	0.79	30.5	57.4	65.9	68.7	10.7	32,250	93
Hubner	H6038RCSS	34	40.6	17.2	6.7	32.5	2.5	43.4	2.9	2.8	0.80	30.0	57.0	65.8	68.6	10.2	33,723	89
Local Seeds	AV4994 AM	21	39.6	18.7	6.9	33.2	2.4	42.5	3.0	2.7	0.79	30.8	58.3	67.5	70.4	9.8	33,182	94
Local Seeds	LC9278 SSXRIB	34	39.5	18.1	6.7	34.0	2.6	42.5	2.8	2.8	0.79	30.9	57.2	66.4	69.3	10.5	33,500	92
LG Seeds	LG44C27VT2RIB	31	38.0	20.4	6.4	36.2	2.7	40.4	2.9	2.5	0.78	30.6	56.4	66.4	69.3	11.1	34,000	94
Channel	192-98STXRIB	34	36.6	18.7	7.6	34.1	2.7	40.5	3.0	2.8	0.79	29.1	56.0	63.7	66.4	11.5	33,920	92
	85-94 d	lay means	39.9	18.1	6.9	33.9	2.5	42.2	2.9	2.7	0.79	30.3	57.3	65.9	68.7	10.6	32,948	
Early (95-103 day) RM Silage Hybrids																		
Masters Choice	MCT4572	4	41.2	18.1	6.6	32.8	2.4	44.0	2.7	2.7	0.80	31.3	57.9	66.5	69.3	10.1	32,601	95
Local Seeds	LC9888 VT2PRIB	31	40.4	18.8	6.6	32.3	2.5	44.4	2.7	2.8	0.80	29.9	56.8	64.6	67.3	10.6	33,000	98
Hubner	H6124RCSS	34	40.4	18.0	6.6	33.7	2.5	42.5	2.7	2.7	0.79	30.6	57.3	66.2	69.1	10.5	33,750	96
Dekalb	DKC45-07RIB	34	40.3	18.4	7.2	31.8	2.3	44.0	3.0	2.7	0.80	30.7	58.2	67.4	70.3	9.4	33,610	95
Dekalb	DKC47-55RIB	31	39.9	20.9	6.5	34.2	2.5	42.2	2.7	2.7	0.79	31.5	58.1	67.0	69.8	10.4	33,500	97
Mycogen	TMF2Q419	34	39.7	18.6	6.6	34.9	2.6	41.0	2.9	2.7	0.79	33.5	58.5	68.3	71.2	10.0	33,560	96
Channel	199-11STXRIB	34	39.5	21.4	6.4	33.4	2.5	42.8	2.8	2.8	0.80	30.8	57.7	66.3	69.2	10.3	33,000	99
Chemgro Seeds	5909RSX	34	38.0	19.6	6.2	34.5	2.6	40.5	2.7	2.6	0.79	29.8	56.8	65.3	68.1	11.1	32,790	99
Seedway LLC	5VV4UUU GENSS	34	38.0	19.3	6.7	33.7	2.5	41.5	2.8	2.6	0.79	31.4	58.3	67.1	69.9	10.2	32,917	98
Hubner	H6172RCSS	34	37.8	20.6	6.9	34.8	2.6	40.6	2.9	2.4	0.78	29.5	57.0	65.7	69.3	10.8	33,167	98
Growmark FS	FS 5090X RIB	34	37.8	19.8	6.8	33.3	2.4	41.5	2.9	2.6	0.79	30.7	58.0	67.0	69.9	10.1	32,917	100
Local Seeds	ZS9796 3220EZ	8	37.7	20.3	6.8	32.5	2.6	43.1	2.9	2.7	0.79	28.6	55.3	63.7	66.4	10.9	33,750	97
Seed Consultants, Inc.	SCS 978AMXT	27	37.7	17.7	6.9	34.0	2.5	41.2	3.0	2.6	0.79	30.9	58.1	67.5	70.4	10.1	33,750	97
Agri-Gold	A632-07STX	34	37.5	20.4	6.4	34.3	2.5	40.9	2.6	2.7	0.80	32.0	58.5	67.6	70.5	10.2	33,500	102
LG Seeds	LG51C48VT2PRO	31	37.2	20.4	6.5	34.2	2.4	40.8	2.6	2.7	0.80	32.6	59.4	68.4	71.3	9.8	33,417	101
Pioneer	P9998AMXT	27	36.5	17.5	6.7	33.4	2.5	41.8	3.0	2.7	0.79	29.7	57.3	65.9	68.7	10.5	32,417	99
Agri-Gold	A6267STXRIB	34	35.8	21.3	6.6	35.4	2.7	38.8	3.0	2.5	0.78	29.6	57.2	65.4	68.2	11.3	33,417	102
Dekalb	DKC53-27RIB	34	35.6	18.4	6.6	34.5	2.5	39.6	2.8	2.5	0.79	32.2	58.3	66.5	69.3	10.6	33,750	103
Mycogen	TMF01R87	34	34.9	21.2	6.3	39.6	2.7	34.6	2.8	2.4	0.77	31.6	58.1	66.7	69.6	12.1	33,667	101
Pioneer	P0242AMXT	27	34.8	17.5	6.4	34.3	2.4	40.8	3.0	2.3	0.78	30.8	58.2	68.6	71.5	9.8	30,583	102
Blue River Organic Seed	48G35	Conv.	34.8	18.7	6.5	36.8	2.6	37.2	3.1	2.5	0.77	30.9	57.6	67.1	70.0	11.1	33,417	102
Seed Consultants, Inc.	SCS 1018YHR	16	34.6	21.3	6.8	33.8	2.2	41.0	2.9	2.6	0.79	33.8	61.1	71.5	74.6	8.7	33,500	101
Seed Consultants, Inc.	EX-SC 105YHR	21	32.6	19.5	7.0	35.2	2.3	37.8	3.1	2.4	0.78	32.3	60.4	69.4	72.4	9.7	32,917	104
	95-103 d	lay means	37.5	19.5	6.6	34.2	2.5	41.0	2.9	2.6	0.79	31.1	58.0	66.9	69.8	10.3	33,169	
	Ove	rall Mean	38.1	19.1	6.7	34.1	2.5	41.3	2.9	2.6	0.79	30.9	57.8	66.7	69.6	10.4	33,112	
		LSD(0.1)	2.5	2.7	0.6	2.8	0.3	3.9	0.3	0.2	0.02	1.5	1.8	2.1	2.2	1.4	1,510	
		CV%	4.9	10.5	6.1	6.1	7.6	7.0	8.2	6.2	1.74	3.5	2.3	2.3	2.4	10.2	3	

<sup>\*</sup> See tab " Trait Key" for individual trait designation.

NEL=net energy for lactation, and NDFD=neutral detergent fiber digestibility.

Prepared by Jessica Williamson, Alan Cook, and James Breining (Department of Plant Science).

 $<sup>{\</sup>bf **Tables\ are\ sorted\ by\ dry\ matter.\ Avoid\ making\ comparisons\ with\ hybrids\ that\ differ\ significantly\ in\ dry\ matter.}$ 

<sup>\*\*\*</sup> Silage yields are expressed on a 35 percent DM basis; all other parameters are expressed on a dry matter basis. CP=crude protein, NDF= neutral detergent fiber,

<sup>1 -</sup> NS = Not Significant , 2 Fat = Total Fatty Acids

Table Key#	Trait Family Dradust	Pt protein(s)	Marketed for control of:	Resistance to a Bt protein in the trait package has developed in :	Herbicide tolerant?		
Conv.	Trait Family Product  Conventional	Bt protein(s)  None	None	developed iii :	No		
RR2	Roundup Ready 2	None	None		GT		
MAZ	Roundup Ready 2	Agrisure			<u> </u>		
1	Agrisure GT	None	None		GT		
	Agrisure 3010 & 3010A	Cry1Ab	ECB SWCB		GT LL		
3	Agrisure 3000 GT, 3011A	Cry1Ab, mCry3A	ECB SWCB RW	RW	GT LL		
4	Agrisure Viptera 3110	Cry1Ab, Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC		GT LL		
5	Agrisure Viptera 3111	Cry1Ab, mCry3A, Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC RW	RW	GT LL		
6	Agrisure 3120 E-Z Refuge	Cry1Ab, Cry1F	BCW ECB FAW SB SWCB	FAW WBC			
7	Agrisure 3122 E-Z Refuge	Cry1Ab,Cry1F, mCry3A, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW WBC RW			
8	Agrisure Viptera 3220 E-Z Refuge	Cry1Ab, Cry1F, Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC		REFER TO BAG FOR SPECIFIC		
9	Agrisure Viptera 3330 E-Z Refuge	CryAb, Vip3A, Cry1A.105+CryAb2	BCW CEW ECB FAW SB SWCB TAW WBC		LETTER CODE: EZ0=GT ONLY		
10	Agrisure Duracade 5122 E-Z Refuge	Cry1Ab, Cry1F, mCry3A, eCry3.1Ab	BCW ECB FAW SB SWCB RW	FAW WBC RW	EZ1= GT LL		
11	Agrisure Duracade 5222 E-Z Refuge	Cry1Ab, Cry1F, Vip3A, mCry3A, eCry3.1Ab	BCW CEW ECB FAW SB SWCB TAW WBC RW	RW			
		Herculex					
12	Herculex 1 (HX1)	Cry1F	BCW ECB FAW SB SWCB	ECB FAW SWCB WBC	11		
13	Herculex RW (HXRW)	Cry34/35Ab1	RW	RW	LL RR2 (most)		
14	Herculex XTRA (HXX)	Cry1F, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW SWCB WBC RW	KKZ (IIIOSL)		
		Optimun	n				
	TRIsect (CHR)	Cry1F, mCry3A	BCW ECB FAW SB SWCB RW	ECB FAW SWCB WBC RW	LL RR2		
	Intrasect (YHR)	Cry1F, Cry1Ab	BCW ECB FAW SB SWCB	FAW WBC	LL RR2		
17	Intrasect TRIsect (CYHR)	Cry1Ab, Cry1F, mCry3A	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2		
	Leptra (VYHR)	Cry1F, Cry1Ab, Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC		LL RR2		
19	Intrasect Xtra (YXR)	Cry1F, Cry1Ab, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2		
	Intrasect Xtreme (CYXR)	Cry1F, Cry1Ab, mCry3A, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2		
	AcreMax (AM)	Cry1F, Cry1Ab	BCW ECB FAW SB SWCB	FAW WBC	LL RR2		
	AcreMax CRW (AMRW)	Cry34/35Ab1	RW	RW	LL RR2		
23	AcreMax1 (AM1)	Cry1F, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW SWCB WBC RW	LL RR2		
	AcreMax Leptra (AML)	Cry1Ab, Cry1F, Vip3A	BCW ECB FAW SB SWCB TAW WBC CEW		LL RR2		
	AcreMax TRIsect (AMT)	Cry1F, Cry1Ab, mCry3A	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2		
	AcreMax Xtra (AMX)  AcreMax Xtreme (AMXT)	Cry1F, Cry1Ab, Cry34/35Ab1 Cry1F, Cry1Ab, mCry3A, Cry34/35Ab1	BCW ECB FAW SB SWCB RW BCW ECB FAW SB SWCB RW	FAW WBC RW FAW WBC RW	LL RR2		
		Yieldgard/Ge	nuity				
28	YieldGard CB (YGCB)	Cry1Ab	ECB SWCB		RR2		
	YieldGard VT Rootworm (YGRW)	Cry3Bb1	RW	RW	RR2		
	YieldGard VT Triple	Cry1Ab, Cry3Bb1	ECB SWCB RW	RW	RR2		
31	VT Double PRO VT Double PRO RIB complete	Cry1A.105, Cry2Ab2	CEW ECB FAW SB SWCB	CEW	RR2		
32	VT Triple PRO VT Triple PRO RIB complete	Cry1A.105, Cry2Ab2, Cry3Bb1	CEW ECB FAW SB SWCB RW	CEW RW	RR2		
33	Trecepta (or RIB complete)	Cry1A.105, Cry2Ab2,Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC		RR2		
		Others					
34	Smartstax Smartstax Refuge Advanced Smartstax RIB Complete	Cry1A.105, Cry2Ab2, Cry1F, Cry3Bb1, Cry34/35Ab1	BCW CEW ECB FAW SB SWCB	CEW WBC RW	LL RR2		
	Powercore (or Refuge Advanced)	Cry1A.105, Cry2Ab2, Cry1F	BCW ECB FAW SB SWCB CEW	CEW WBC	LL RR2		
36	QROME (Q)	Cry1Ab, Cry1F, mCry3A, Cry34/35Ab1	BCW ECB FAW SB SWCB	FAW WBC RW	LL RR2		
	BCW = black cutworm	SB = stalk borer	GT = glyphosate tolerant				
	CEW = corn earworm	SWCB = southern corn borer	LL = Liberty Link, glufosinate tolera				
	ECB = European corn borer	TAW = true armyworm	RR2 = Roundup Ready 2, glyphosate				
	FAW = fall armyworm	WBC = western bean cutworm					
	RW = corn rootworm						