

2019 Penn State/PDMP Corn Silage Hybrid Performance Trial Results

Prepared by James A. Breining, Alan R. Cook, Corey Dillon (Department of Plant Science).

Produced in cooperation with the Professional Dairy Managers of Pennsylvania (PDMP).

Visit Penn State's College of Agricultural Sciences on the Web: www.cas.psu.edu

Penn State College of Agricultural Sciences research, extension, and resident education programs are funded in part by Pennsylvania counties, the Commonwealth of Pennsylvania, and the U.S. Department of Agriculture.

This publication is available in alternative media on request.

The Pennsylvania State University is committed to the policy that all persons shall have equal access to programs, facilities, admission, and employment without regard to personal characteristics not related to ability, performance, or qualifications as determined by University policy or by state or federal authorities. It is the policy of the University to maintain an academic and work environment free of discrimination, including harassment. The Pennsylvania State University prohibits discrimination and harassment against any person because of age, ancestry, color, disability or handicap, national origin, race, religious creed, sex, sexual orientation, or veteran status. Discrimination or harassment against faculty, staff, or students will not be tolerated at The Pennsylvania State University. Direct all inquiries regarding the nondiscrimination policy to the Affirmative Action Director, The Pennsylvania State University, 328 Boucke Building, University Park, PA 16802-5901, Tel 814-865-4700/V, 814-863-1150/TTY.

Where trade names appear, no discrimination is intended, and no endorsement by Penn State Cooperative Extension is implied

© The Pennsylvania State University 2015

Production Details: Penn State/PDMP Corn Silage Hybrid Evaluation Trials

Site:	Bainbridge, PA			
Cooperator	Meadow Vista Dairy			
Planting Date	5/18/2019			
Soil Type	Lansdale loam, 3 to 8 percent slopes, UaB Ungers loam			
Herbicides	pre-	Credit Extra 2.25 qt	Brawl ATZ 1.8 qt	Mesotrione 6 oz
	post-	None		
Previous Crop	Silage			
Tillage	None			
Starter Fertilizer	10.5 gal - 10-34-0			
Insecticide	None			
Manure	9000 gallons liquid dairy manure			
Fertilizer	90 lbs N injected at sidedress			
Harvest Date	8/26/2019			

Field Summary:	Had some grass pressure at early stages of crop. There was also some minor root lodging caused by rootworm or wind. Overall this site had extremely fast emergence and corn looks good. Very tall plants and nice ears. Rainfall was adequate during pollination time. It might have ran out of N towards the end of the growing season.
-----------------------	--

Weather Summary:		
Month	Precip.	GDD
May 18th-June 1st	2.88	275
June 1st -July 1st	5.15	596
July 1st- August 1st	3.22	859
August 1st- August 26	2.14	640
Seasonal Total	13.39	2370

Precip. Data:	https://www.accuweather.com/
GDD data:	http://climatesmartfarming.org/tools/csf-growing-degree-day-calculator/

Penn State/PDMP Corn Silage Hybrid Testing Program 2019
(Early-Medium) maturity (99-110) day RM silage hybrids in Bainbridge, PA



Lancaster County location

Notes: SEE BACKGROUND TAB

Cooperator: Meadow Vista Farms

Brand	Hybrid	Traits*	Dry	Yield	CP	NDF	Lignin	Starch	Ash	Fat ²	NEL	NDFD				uNDF	Pop.	Relative
			Matter	Tons/ Acre***								%DM	%DM	%DM	%DM	%DM		
Early (99-104) day RM Silage Hybrids																		
Mid-Atlantic Seeds, Inc.	MA8017VT2P	31	36.7	19.6	6.9	35.2	2.7	38.4	2.9	2.5	0.78	29.6	55.5	65.0	67.8	11.3	34,000	101
Seed Consultants, Inc.	EX-SC 105YHR	21	35.5	21.9	7.1	37.7	2.7	34.0	3.1	2.1	0.76	31.0	57.7	67.5	70.3	11.2	34,000	104
Mid-Atlantic Seeds, Inc.	MA7002HDDR	RR2	34.8	16.6	7.9	42.7	3.3	25.5	3.7	1.9	0.73	29.2	52.6	62.6	65.3	14.8	34,000	100
Local Seeds	LC0297 SXXRIB	34	34.5	23.5	6.9	39.0	3.0	35.4	3.4	2.2	0.75	30.3	54.8	66.1	68.9	12.2	34,000	102
99-104 day means			35.4	20.4	7.2	38.7	2.9	33.3	3.3	2.2	0.76	30.0	55.2	65.3	68.1	12.4	34,000	
Mid (105-110) day RM Silage Hybrids																		
LG Seeds	LG5525VT2RIB	31	39.2	23.3	6.6	35.7	2.6	40.8	2.6	2.6	0.78	32.4	57.8	69.0	71.9	10.1	34,000	105
Local Seeds	LC0877 VT2PRIB	31	36.7	22.1	7.1	39.2	2.8	31.8	3.1	2.1	0.76	31.5	56.2	67.1	70.0	11.9	34,000	108
Agri-Gold	A638-74VT2RIB	31	36.3	22.9	6.9	42.2	3.2	32.2	3.3	2.0	0.74	29.4	53.8	64.9	67.6	13.7	34,000	108
Agri-Gold	A636-56STXRIB	34	36.1	22.5	6.9	36.1	2.6	37.9	2.9	2.3	0.77	32.8	58.2	68.5	71.4	10.3	34,000	106
Local Seeds	LC0657 SXXRIB	34	35.2	20.5	7.5	35.9	3.0	37.7	3.0	2.3	0.77	28.7	52.4	62.0	64.7	12.7	34,000	106
Agri-Gold	A640-77STXRIB	34	35.2	24.5	7.0	34.1	2.4	39.4	2.9	2.3	0.79	32.0	59.0	69.3	72.3	9.5	34,000	110
Prairie Hybrids	5787	Conv.	35.1	21.0	7.4	33.3	2.6	39.8	3.0	2.3	0.78	30.4	55.6	65.9	68.8	10.4	34,000	108
LG Seeds	LG5590VT2RIB	31	35.0	22.4	6.6	39.7	3.0	33.3	2.9	2.1	0.75	30.6	55.1	65.5	68.3	12.6	34,000	109
Mid-Atlantic Seeds, Inc.	MA8074VT2P	31	33.9	22.0	7.6	39.0	2.9	34.8	3.3	2.2	0.76	31.3	55.8	66.4	69.3	12.0	34,000	107
Seed Consultants, Inc.	SCS 1069YHR	16	33.6	22.8	7.3	36.7	2.6	36.2	3.0	2.2	0.77	32.0	58.3	68.8	71.7	10.4	34,000	106
Pioneer	P0843AM	21	33.2	23.5	7.3	36.5	2.6	35.9	3.1	2.1	0.77	32.8	58.4	69.2	72.1	10.2	34,000	108
Seed Consultants, Inc.	EX-SC 110YHR	21	33.0	26.0	7.3	38.9	2.9	31.5	3.6	2.0	0.75	30.0	56.5	66.8	69.6	11.8	34,000	108
Channel	209-15STXRIB	34	32.5	25.3	7.4	36.5	2.6	36.8	3.1	2.3	0.77	32.6	58.0	67.7	70.6	10.7	34,000	109
Agri-Gold	A636-11VT2RO	31	32.4	21.0	7.5	37.6	2.9	32.2	3.3	2.1	0.76	29.9	55.8	63.9	66.6	12.6	34,000	106
Pioneer	P1089AMXT	27	32.3	25.6	7.2	37.7	2.7	32.6	3.4	2.0	0.76	31.4	57.7	68.5	71.3	10.8	34,000	110
Masters Choice	MCT5790	Conv.	32.2	20.7	7.3	38.8	2.9	31.2	3.0	2.2	0.76	29.2	54.8	63.7	66.4	13.0	34,000	107
Blue River Organic Seed	62G22	Conv.	32.2	21.9	6.9	39.2	2.7	35.5	3.1	2.3	0.77	31.0	54.0	64.0	66.7	13.1	34,000	110
Agri-Gold	A639-41STXRIB	34	32.1	20.4	7.4	40.7	3.1	30.8	3.3	1.8	0.74	28.8	54.4	64.4	67.2	13.4	34,000	109
Mycogen	TMF2H708	34	31.9	23.1	7.0	43.2	3.4	27.7	3.3	1.7	0.72	26.6	52.3	63.7	66.4	14.5	34,000	109
Pioneer	P0789AMXT	27	31.7	22.2	7.0	43.7	3.4	27.1	3.6	1.8	0.72	27.1	52.6	63.3	66.0	14.9	34,000	107
Mycogen	2098Q	36	30.8	22.9	7.1	38.3	2.8	32.1	3.3	2.0	0.76	30.8	56.0	67.4	70.3	11.4	34,000	110
Channel	210-98STXRIB	34	30.5	21.3	7.7	42.0	3.0	25.7	3.4	1.7	0.74	29.9	58.3	66.0	68.8	13.1	34,000	110
Agri-Gold	A639-70STX	34	30.1	21.8	7.6	38.5	2.8	34.7	3.3	2.2	0.76	32.2	57.0	67.4	70.3	12.4	34,000	109
Seed Consultants, Inc.	SCS 1087YHR	16	30.0	20.7	7.6	39.6	2.6	28.5	3.6	1.6	0.75	32.1	59.9	69.7	72.7	10.8	34,000	108
Mid-Atlantic Seeds, Inc.	MA7084HDDR	RR2	30.0	14.2	7.7	41.2	3.2	27.0	3.4	1.8	0.74	27.3	53.9	62.1	64.8	14.5	34,000	108
105-110 day means			33.2	22.2	7.2	38.6	2.9	33.3	3.2	2.1	0.76	30.5	56.1	66.2	69.0	12.0	34,000	
Overall Mean																		
Overall Mean			33.5	21.9	7.2	38.6	2.9	33.3	3.2	2.1	0.76	30.4	56.0	66.1	68.9	12.1		
LSD(0.1)			3.0	2.5	0.5	3.2	0.3	4.1	0.4	0.3	0.00	2.4	2.9	2.9	3.1	2.0		
CV%			6.5	8.3	5.2	6.1	8.1	9.1	9.3	9.3	2.10	5.8	3.8	3.2	3.2	11.8		

* See tab " Trait Key" for individual trait designation.

**Tables are sorted by dry matter. Avoid making comparisons with hybrids that differ significantly in dry matter.

*** Silage yields are expressed on a 35 percent DM basis; all other parameters are expressed on a dry matter basis. CP=crude protein, NDF= neutral detergent fiber,

NEL=net energy for lactation, and NDFD=neutral detergent fiber digestibility.

¹ - NS = Not Significant, ² - Fat = Total Fatty Acids

Prepared by: Jessica Williamson, Alan Cook, James Breining (Department of Plant Science).

Table Key #	Trait Family Product	Bt protein(s)	Marketed for control of:	Resistance to a Bt protein in the trait package has developed in :	Herbicide tolerant?
Conv.	Conventional	None	None	---	No
RR2	Roundup Ready 2	None	None	---	GT
Agrisure					
1	Agrisure GT	None	None	---	GT
2	Agrisure 3010 & 3010A	Cry1Ab	ECB SWCB	---	GT LL
3	Agrisure 3000 GT, 3011A	Cry1Ab, mCry3A	ECB SWCB RW	RW	GT LL
4	Agrisure Viptera 3110	Cry1Ab, Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC	---	GT LL
5	Agrisure Viptera 3111	Cry1Ab, mCry3A, Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC RW	RW	GT LL
6	Agrisure 3120 E-Z Refuge	Cry1Ab, Cry1F	BCW ECB FAW SB SWCB	FAW WBC	REFER TO BAG FOR SPECIFIC LETTER CODE: E20=GT ONLY E21= GT LL
7	Agrisure 3122 E-Z Refuge	Cry1Ab,Cry1F, mCry3A, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW WBC RW	
8	Agrisure Viptera 3220 E-Z Refuge	Cry1Ab, Cry1F, Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC	---	
9	Agrisure Viptera 3330 E-Z Refuge	CryAb, Vip3A, Cry1A.105+CryAb2	BCW CEW ECB FAW SB SWCB TAW WBC	---	
10	Agrisure Duracade 5122 E-Z Refuge	Cry1Ab, Cry1F, mCry3A, eCry3.1Ab	BCW ECB FAW SB SWCB RW	FAW WBC RW	
11	Agrisure Duracade 5222 E-Z Refuge	Cry1Ab, Cry1F, Vip3A, mCry3A, eCry3.1Ab	BCW CEW ECB FAW SB SWCB TAW WBC RW	RW	
Herculex					
12	Herculex 1 (HX1)	Cry1F	BCW ECB FAW SB SWCB	ECB FAW SWCB WBC	LL RR2 (most)
13	Herculex RW (HXRW)	Cry34/35Ab1	RW	RW	
14	Herculex XTRA (HXX)	Cry1F, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW SWCB WBC RW	
Optimum					
15	TRIssect (CHR)	Cry1F, mCry3A	BCW ECB FAW SB SWCB RW	ECB FAW SWCB WBC RW	LL RR2
16	Intrasect (YHR)	Cry1F, Cry1Ab	BCW ECB FAW SB SWCB	FAW WBC	LL RR2
17	Intrasect TRIssect (CYHR)	Cry1Ab, Cry1F, mCry3A	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2
18	Leptra (VYHR)	Cry1F, Cry1Ab, Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC	---	LL RR2
19	Intrasect Xtra (YXR)	Cry1F, Cry1Ab, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2
20	Intrasect Xtreme (CYXR)	Cry1F, Cry1Ab, mCry3A, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2
21	AcreMax (AM)	Cry1F, Cry1Ab	BCW ECB FAW SB SWCB	FAW WBC	LL RR2
22	AcreMax CRW (AMRW)	Cry34/35Ab1	RW	RW	LL RR2
23	AcreMax1 (AM1)	Cry1F, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW SWCB WBC RW	LL RR2
24	AcreMax Leptra (AML)	Cry1Ab, Cry1F, Vip3A	BCW ECB FAW SB SWCB TAW WBC CEW	---	LL RR2
25	AcreMax TRIssect (AMT)	Cry1F, Cry1Ab, mCry3A	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2
26	AcreMax Xtra (AMX)	Cry1F, Cry1Ab, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2
27	AcreMax Xtreme (AMXT)	Cry1F, Cry1Ab, mCry3A, Cry34/35Ab1	BCW ECB FAW SB SWCB RW	FAW WBC RW	LL RR2
Yieldgard/Genuity					
28	YieldGard CB (YGCB)	Cry1Ab	ECB SWCB	---	RR2
29	YieldGard VT Rootworm (YGRW)	Cry3Bb1	RW	RW	RR2
30	YieldGard VT Triple	Cry1Ab, Cry3Bb1	ECB SWCB RW	RW	RR2
31	VT Double PRO VT Double PRO RIB complete	Cry1A.105, Cry2Ab2	CEW ECB FAW SB SWCB	CEW	RR2
32	VT Triple PRO VT Triple PRO RIB complete	Cry1A.105, Cry2Ab2, Cry3Bb1	CEW ECB FAW SB SWCB RW	CEW RW	RR2
33	Trecepta (or RIB complete)	Cry1A.105, Cry2Ab2,Vip3A	BCW CEW ECB FAW SB SWCB TAW WBC	---	RR2
Others					
34	Smartstax Smartstax Refuge Advanced Smartstax RIB Complete	Cry1A.105, Cry2Ab2, Cry1F, Cry3Bb1, Cry34/35Ab1	BCW CEW ECB FAW SB SWCB RW	CEW WBC RW	LL RR2
35	Powercore (or Refuge Advanced)	Cry1A.105, Cry2Ab2, Cry1F	BCW ECB FAW SB SWCB CEW	CEW WBC	LL RR2
36	QROME (Q)	Cry1Ab, Cry1F, mCry3A, Cry34/35Ab1	BCW ECB FAW SB SWCB	FAW WBC RW	LL RR2
	BCW = black cutworm	SB = stalk borer	GT = glyphosate tolerant		
	CEW = corn earworm	SWCB = southern corn borer	LL = Liberty Link, glufosinate tolerant		
	ECB = European corn borer	TAW = true armyworm	RR2 = Roundup Ready 2, glyphosate tolerant		
	FAW = fall armyworm	WBC = western bean cutworm			
	RW = corn rootworm				